



**THAI YAZAKI ELECTRIC WIRE CO.,LTD.**

<b>CORE</b>	<b>SIZE</b>	<b>Baht / Meter</b>
IEC 05 IV 300/500V	1	8.12
IEC 01 THW 450/750V 1	1.5	11.48
	2.5	17.50
	4	27.60
	6	42.00
	10	69.02
	16	109.70
	25	172.60
	35	250.50
	50	330.00
	70	470.00
	95	649.50
	120	821.74
	150	1,017.10
	185	1,272.00
	240	1,679.14
	300	2,084.50
400	2,665.54	



**THAI YAZAKI ELECTRIC WIRE CO.,LTD.**

<u>IEC 06 IV (VSF)</u>	<u>Baht / Meter</u>
0.5	6.86
0.75	8.40
1	10.22
<u>IEC 02 THW(f) (VSF)</u>	<u>Baht / Meter</u>
1.5	13.30
2.5	20.16
4	30.21
6	52.22
10	83.66
16	119.97
25	181.87

01 May 2024



**THAI YAZAKI ELECTRIC WIRE CO.,LTD.**

<b>60227 IEC 02 THW(F) TWIST</b>		<b><u>Baht / Meter</u></b>
<b><u>Number of cores</u></b>	<b><u>Size</u></b>	
<b>2</b>	<b>1.5</b>	<b>27.44</b>
<b>2</b>	<b>2.5</b>	<b>42.42</b>
<b>2</b>	<b>4</b>	<b>75.00</b>

01 May 2024



**THAI YAZAKI ELECTRIC WIRE CO.,LTD.**

<b>CORE</b>	<b><u>SIZE</u></b>	<b><u>Baht / Meter</u></b>
<b>2 C</b> VAF-G (101)	<b>1/1</b>	<b>34.44</b>
	<b>1.5/1.5</b>	<b>45.08</b>
	<b>2.5/2.5</b>	<b>63.00</b>
	<b>4/4</b>	<b>99.26</b>
	<b>6/6</b>	<b>150.22</b>
	<b>10/10</b>	<b>222.60</b>
	<b>16/16</b>	<b>346.92</b>

01 May 2024



THAI YAZAKI ELECTRIC WIRE CO.,LTD.

	CORE	SIZE	Baht / Meter	Remark
60227 IEC 10	2C	1.5	67.34	(300/500V) TIS 11-2553
		2.5	80.64	
		4	114.10	
		6	158.06	
		10	223.72	
		16	316.68	
		25	465.64	
		35	617.54	
	3C	1.5	76.86	
		2.5	94.36	
		4	135.73	
		6	196.00	
		10	287.00	
		16	421.40	
		25	644.14	
		35	871.22	
	4C	1.5	88.62	
		2.5	110.32	
		4	163.24	
		6	238.70	
		10	364.28	
		16	549.22	
		25	826.56	
		35	1,202.60	

01 May 2024



THAI YAZAKI ELECTRIC WIRE CO.,LTD.

	CORE	SIZE	Baht / Meter	Remark
60227 IEC 10	2 C+G	1.5/1.5	76.86	(300/500V) TIS 11-2553
		2.5/2.5	94.36	
		4/4	135.73	
		6/6	196.00	
		10/10	287.00	
		16/16	421.40	
	3 C+G	1.5/1.5	88.62	
		2.5/2.5	110.32	
		4/4	163.24	
		6/6	238.70	
		10/10	364.28	
		16/16	549.22	
	4 C+G	1.5/1.5	125.02	
		2.5/2.5	173.17	
		4/4	255.92	
		6/6	374.08	
		10/10	570.50	
		16/16	851.20	

01 May 2024



THAI YAZAKI ELECTRIC WIRE CO.,LTD.

CORE	CORE	SIZE	Baht / Meter	Remark
NYY	1C	1	31.50	(450/750V) TIS 11-2559
		1.5	35.00	
		2.5	40.88	
		4	55.16	
YK NYY		6	82.32	
		10	98.70	
		16	138.32	
		25	202.44	
		35	274.40	
		50	363.58	
		70	493.92	
		95	663.60	
		120	851.20	
		150	1,044.40	
NYY		185	1,299.20	
		240	1,692.60	
	300	2,109.80		
NYY	2C	400	2,699.20	(450/750V) TIS 11-2559
		500	3,537.80	
		1	63.13	
		1.5	70.64	
		2.5	84.43	
		4	119.46	
YK NYY		6	165.17	
		10	232.89	
		16	327.12	
		25	480.07	
NYY		35	636.06	
		50	882.42	
		70	1,247.40	
		95	1,680.00	
	120	2,086.00		
NYY	150	2,562.00		
	185	3,203.20		
	240	4,188.80		
	300	5,213.60		



THAI YAZAKI ELECTRIC WIRE CO.,LTD.

CORE	CORE	SIZE	Baht / Meter	Remark
NYY	3C	1	71.44	(450/750V) TIS 11-2559
		1.5	80.63	
		2.5	98.80	
		4	142.11	
		6	204.82	
		10	298.77	
YK NYY		16	435.30	
		25	664.10	
		35	897.36	
		50	1,224.58	
		70	1,657.18	
NYY		95	2,319.66	
		120	2,928.80	
		150	3,564.40	
		185	4,438.00	
		240	5,803.00	
		300	7,190.40	
NYY		4C	1	
	1.5		92.96	
	2.5		115.50	
	4		170.91	
	6		249.44	
	10		379.22	
YK NYY	16		567.35	
	25		852.18	
	35		1,238.68	
	50		1,561.00	
	70		2,170.00	
NYY	95		3,017.00	
	120		3,816.40	
	150		4,673.20	
	185		5,864.60	
	240		7,726.60	
	300		9,590.00	





THAI YAZAKI ELECTRIC WIRE CO.,LTD.

	CORE	SIZE	Baht / Meter	Remark
NYY-G	2 C	1/1	71.44	(450/750V) TIS 11-2559
		1.5/1.5	80.63	
		2.5/2.5	98.80	
		4/4	142.11	
		6/6	204.82	
		10/10	298.77	
		16/16	459.55	
		25/16	631.04	
		35/16	849.84	
		50/25	1,223.57	
		70/35	1,612.27	
		95/50	2,240.08	
		120/70	2,818.20	
		150/95	3,480.60	
		185/95	4,247.60	
		240/120	5,524.40	
	300/150	6,899.12		
	3 C	1/1	81.34	
		1.5/1.5	92.96	
		2.5/2.5	115.50	
		4/4	170.91	
		6/6	249.44	
		10/10	379.22	
		16/16	595.35	
		25/16	803.60	
		35/16	1,176.21	
		50/25	1,533.00	
		70/35	2,143.09	
		95/50	2,953.34	
		120/70	3,763.35	
		150/95	4,588.81	
		185/95	5,736.51	
		240/120	7,561.55	
	300/150	9,365.89		
	4 C	1/1	115.58	
		1.5/1.5	130.65	
		2.5/2.5	180.43	
		4/4	266.41	
		6/6	389.05	
		10/10	592.75	
		16/16	903.91	
		25/16	1,247.26	
35/16		1,797.60		
50/25		2,317.00		
70/35		3,206.00		
95/50		4,417.00		
120/70		5,509.00		
150/95		6,776.00		
185/95		8,421.00		
240/120		10,990.00		
300/150	13,699.00			



THAI YAZAKI ELECTRIC WIRE CO.,LTD.

	CORE	SIZE	Baht / Meter	Remark
60227 IEC 53	2 C	0.75	31.22	(300/500V) TIS 11-2553
		1	36.54	
		1.5	48.44	
		2.5	77.98	
	3 C	0.75	39.06	
		1	49.56	
		1.5	61.46	
		2.5	111.16	
	4 C	0.75	51.94	
		1	61.74	
		1.5	79.52	
		2.5	124.18	

01 May 2024



THAI YAZAKI ELECTRIC WIRE CO.,LTD.

	CORE	SIZE	Baht / Meter	Remark
60227 IEC 53	2C +G	1/1	49.56	(300/500V) TIS 11-2553
		1.5/1.5	61.46	
		2.5/2.5	111.16	
	3C +G	1/1	61.74	
		1.5/1.5	79.52	
		2.5/2.5	124.18	
	4C +G	1/1	89.60	
		1.5/1.5	111.30	
		2.5/2.5	162.40	

01 May 2024



THAI YAZAKI ELECTRIC WIRE CO.,LTD.

	CORE	SIZE	Baht / Meter	Remark
VCT	2	1	37.86	(450/750V) TIS 11-2559
		1.5	50.04	
		2.5	80.43	
		4	111.30	
		6	158.06	
		10	273.42	
		16	392.00	
		25	618.10	
		35	819.14	
	3	1	51.34	
		1.5	63.49	
		2.5	114.66	
		4	140.56	
		6	205.66	
		10	358.82	
		16	530.60	
		25	799.40	
		35	1,117.20	
	4	1	63.97	
		1.5	82.14	
		2.5	128.09	
		4	178.50	
		6	267.68	
		10	469.70	
		16	679.56	
		25	1,023.96	
		35	1,425.20	

01 May 2024



THAI YAZAKI ELECTRIC WIRE CO.,LTD.

	CORE	SIZE	Baht / Meter	Remark
VCT-G	2C	1/1	51.34	(450/750V) TIS 11-2559
		1.5/1.5	63.49	
		2.5/2.5	114.66	
		4/4	140.56	
		6/6	205.66	
		10/10	358.82	
		16/16	530.60	
		25/16	777.17	
		35/16	1078.46	
	3C	1/1	63.97	
		1.5/1.5	82.14	
		2.5/2.5	128.09	
		4/4	178.50	
		6/6	267.68	
		10/10	469.70	
		16/16	679.56	
		25/16	1008.81	
		35/16	1389.79	
	4C	1/1	93.52	
		1.5/1.5	116.02	
		2.5/2.5	169.06	
		4/4	247.72	
		6/6	420.63	
		10/10	637.00	
		16/16	903.00	
		25/16	1316.00	
		35/16	1,841.00	

01 May 2024



**THAI YAZAKI ELECTRIC WIRE CO.,LTD.**

<b>CVV(f)</b>	<b>mm<sup>2</sup></b>	<b>0.75</b>	<b>1</b>	<b>1.5</b>	<b>2.5</b>	<b>4</b>
	<b>2 C</b>	<b>48.02</b>	<b>51.10</b>	<b>56.42</b>	<b>76.30</b>	<b>104.72</b>
	<b>3 C</b>	<b>53.34</b>	<b>58.66</b>	<b>69.02</b>	<b>96.32</b>	<b>132.02</b>
	<b>4 C</b>	<b>66.92</b>	<b>69.16</b>	<b>83.72</b>	<b>119.42</b>	<b>175.84</b>
	<b>5 C</b>	<b>81.62</b>	<b>91.00</b>	<b>106.68</b>	<b>152.88</b>	<b>213.50</b>
	<b>6 C</b>	<b>91.77</b>	<b>107.45</b>	<b>129.15</b>	<b>189.70</b>	<b>266.98</b>
	<b>7 C</b>	<b>96.32</b>	<b>109.90</b>	<b>132.02</b>	<b>192.92</b>	<b>278.46</b>
	<b>8 C</b>	<b>141.00</b>	<b>147.49</b>	<b>178.99</b>	<b>253.12</b>	<b>351.47</b>
	<b>9 C</b>	<b>144.50</b>	<b>148.68</b>	<b>181.16</b>	<b>257.32</b>	<b>368.48</b>
	<b>10 C</b>	<b>148.00</b>	<b>160.16</b>	<b>196.56</b>	<b>282.52</b>	<b>406.00</b>
	<b>11 C</b>	<b>151.62</b>	<b>178.50</b>	<b>220.43</b>	<b>325.50</b>	<b>470.54</b>
	<b>12 C</b>	<b>153.86</b>	<b>180.04</b>	<b>221.90</b>	<b>326.48</b>	<b>479.08</b>
	<b>13 C</b>	<b>169.19</b>	<b>195.37</b>	<b>245.63</b>	<b>364.56</b>	<b>536.41</b>
	<b>14 C</b>	<b>170.52</b>	<b>196.70</b>	<b>246.96</b>	<b>366.24</b>	<b>540.54</b>
	<b>15 C</b>	<b>181.02</b>	<b>213.78</b>	<b>271.88</b>	<b>406.07</b>	<b>614.60</b>
	<b>16 C</b>	<b>183.12</b>	<b>215.46</b>	<b>273.00</b>	<b>409.50</b>	<b>624.26</b>



**THAI YAZAKI ELECTRIC WIRE CO.,LTD.**

	<b>mm<sup>2</sup></b>	<b>0.75</b>	<b>1</b>	<b>1.5</b>	<b>2.5</b>	<b>4</b>
<b>CVV(f)</b>	<b>17 C</b>	<b>202.12</b>	<b>232.68</b>	<b>301.32</b>	<b>436.76</b>	<b>661.82</b>
	<b>18 C</b>	<b>205.62</b>	<b>242.48</b>	<b>310.98</b>	<b>474.28</b>	<b>704.80</b>
	<b>19 C</b>	<b>208.18</b>	<b>246.12</b>	<b>314.30</b>	<b>478.66</b>	<b>724.36</b>
	<b>20 C</b>	<b>233.24</b>	<b>275.59</b>	<b>346.08</b>	<b>525.49</b>	<b>794.78</b>
	<b>21 C</b>	<b>234.78</b>	<b>278.46</b>	<b>351.26</b>	<b>531.44</b>	<b>800.80</b>
	<b>22 C</b>	<b>253.92</b>	<b>301.88</b>	<b>379.78</b>	<b>587.34</b>	<b>868.18</b>
	<b>23 C</b>	<b>257.42</b>	<b>306.36</b>	<b>390.28</b>	<b>603.86</b>	<b>890.16</b>
	<b>24 C</b>	<b>260.26</b>	<b>307.58</b>	<b>393.12</b>	<b>615.16</b>	<b>906.36</b>
	<b>25 C</b>	<b>280.60</b>	<b>329.00</b>	<b>422.42</b>	<b>664.16</b>	<b>973.46</b>
	<b>26 C</b>	<b>286.90</b>	<b>332.08</b>	<b>432.92</b>	<b>672.28</b>	<b>996.84</b>
	<b>27 C</b>	<b>289.38</b>	<b>334.88</b>	<b>437.36</b>	<b>678.16</b>	<b>1,011.08</b>
	<b>28 C</b>	<b>306.70</b>	<b>357.52</b>	<b>465.68</b>	<b>728.24</b>	<b>1,077.54</b>
	<b>29 C</b>	<b>307.40</b>	<b>362.70</b>	<b>476.18</b>	<b>739.16</b>	<b>1,105.12</b>
<b>30 C</b>	<b>309.40</b>	<b>366.38</b>	<b>478.66</b>	<b>744.38</b>	<b>1,113.84</b>	



**THAI YAZAKI ELECTRIC WIRE CO.,LTD.**

<b>CVV-S(f)</b>	<b>mm<sup>2</sup></b>	<b>0.75</b>	<b>1</b>	<b>1.5</b>	<b>2.5</b>	<b>4</b>
	<b>2 C</b>	<b>87.92</b>	<b>91.91</b>	<b>102.48</b>	<b>127.82</b>	<b>169.68</b>
	<b>3 C</b>	<b>96.32</b>	<b>104.72</b>	<b>117.18</b>	<b>152.60</b>	<b>203.84</b>
	<b>4 C</b>	<b>112.84</b>	<b>119.42</b>	<b>138.32</b>	<b>182.00</b>	<b>246.96</b>
	<b>5 C</b>	<b>132.02</b>	<b>142.38</b>	<b>163.24</b>	<b>222.04</b>	<b>293.02</b>
	<b>6 C</b>	<b>145.25</b>	<b>161.91</b>	<b>190.61</b>	<b>261.59</b>	<b>351.33</b>
	<b>7 C</b>	<b>152.88</b>	<b>167.44</b>	<b>198.38</b>	<b>267.54</b>	<b>367.64</b>
	<b>8 C</b>	<b>177.17</b>	<b>201.25</b>	<b>233.31</b>	<b>315.21</b>	<b>440.23</b>
	<b>9 C</b>	<b>187.46</b>	<b>207.06</b>	<b>240.24</b>	<b>334.88</b>	<b>456.82</b>
	<b>10 C</b>	<b>205.66</b>	<b>223.86</b>	<b>262.08</b>	<b>365.82</b>	<b>513.24</b>
	<b>11 C</b>	<b>215.25</b>	<b>236.67</b>	<b>284.55</b>	<b>393.75</b>	<b>555.45</b>
	<b>12 C</b>	<b>222.04</b>	<b>243.88</b>	<b>293.02</b>	<b>407.68</b>	<b>569.66</b>
	<b>13 C</b>	<b>239.96</b>	<b>265.44</b>	<b>313.18</b>	<b>443.52</b>	<b>638.89</b>
	<b>14 C</b>	<b>243.88</b>	<b>273.00</b>	<b>322.14</b>	<b>451.36</b>	<b>666.12</b>
	<b>15 C</b>	<b>255.78</b>	<b>292.53</b>	<b>347.13</b>	<b>496.86</b>	<b>727.16</b>
	<b>16 C</b>	<b>262.08</b>	<b>296.66</b>	<b>356.72</b>	<b>505.96</b>	<b>746.20</b>



**THAI YAZAKI ELECTRIC WIRE CO.,LTD.**

	<b>mm<sup>2</sup></b>	<b>0.75</b>	<b>1</b>	<b>1.5</b>	<b>2.5</b>	<b>4</b>
<b>CVV-S(f)</b>	<b>17 C</b>	<b>277.44</b>	<b>313.60</b>	<b>379.02</b>	<b>535.64</b>	<b>780.74</b>
	<b>18 C</b>	<b>283.74</b>	<b>326.20</b>	<b>390.08</b>	<b>567.56</b>	<b>812.52</b>
	<b>19 C</b>	<b>293.02</b>	<b>334.88</b>	<b>396.76</b>	<b>582.40</b>	<b>837.20</b>
	<b>20 C</b>	<b>308.63</b>	<b>352.03</b>	<b>421.26</b>	<b>635.46</b>	<b>912.80</b>
	<b>21 C</b>	<b>320.32</b>	<b>362.18</b>	<b>433.16</b>	<b>658.84</b>	<b>946.40</b>
	<b>22 C</b>	<b>336.10</b>	<b>382.06</b>	<b>459.52</b>	<b>707.74</b>	<b>1,024.10</b>
	<b>23 C</b>	<b>343.80</b>	<b>390.74</b>	<b>471.42</b>	<b>728.46</b>	<b>1,039.08</b>
	<b>24 C</b>	<b>356.72</b>	<b>405.86</b>	<b>489.58</b>	<b>742.56</b>	<b>1,082.90</b>
	<b>25 C</b>	<b>369.88</b>	<b>423.50</b>	<b>512.92</b>	<b>780.22</b>	<b>1,142.68</b>
	<b>26 C</b>	<b>378.98</b>	<b>432.18</b>	<b>524.82</b>	<b>796.74</b>	<b>1,164.66</b>
	<b>27 C</b>	<b>389.48</b>	<b>438.62</b>	<b>536.90</b>	<b>813.54</b>	<b>1,186.64</b>
	<b>28 C</b>	<b>401.00</b>	<b>453.28</b>	<b>569.48</b>	<b>861.60</b>	<b>1,253.04</b>
	<b>29 C</b>	<b>407.30</b>	<b>464.06</b>	<b>581.38</b>	<b>873.92</b>	<b>1,280.62</b>
	<b>30 C</b>	<b>413.14</b>	<b>475.02</b>	<b>595.14</b>	<b>886.34</b>	<b>1,297.66</b>



THAI YAZAKI ELECTRIC WIRE CO.,LTD.

	CORE	SIZE	Baht / Meter
YK	FD-0.6/1 KV-CV	2.5	36.81
		4	46.45
		6	60.86
		10	80.40
		16	119.74
		25	181.23
		35	263.03
	1 C	50	338.80
		70	474.85
		95	655.17
		120	830.76
		150	1,067.96
		185	1,335.60
		240	1,763.10
		300	2,188.73
		400	2,698.98
		500	3,604.54
		630	4,609.05
		800	5,780.42
1000	7,619.98		
YK	FD-0.6/1 KV-CV	2.5	83.36
		4	105.59
		6	138.24
		10	177.03
		16	273.49
		25	425.33
		35	574.17
	2 C	50	765.74
		70	1,062.26
		95	1,463.63
		120	1,844.99
		150	2,264.88
		185	2,814.42
		240	3,680.04
		300	4,613.21
		400	5,871.33



**THAI YAZAKI ELECTRIC WIRE CO.,LTD.**

	<b>CORE</b>	<b>SIZE</b>	<b>Baht / Meter</b>
YK	FD-0.6/1 KV-CV	2.5	104.23
		4	135.87
		6	179.79
		10	243.42
		16	372.54
		25	576.73
		35	780.99
	3 C	50	1,051.81
		70	1,485.15
		95	2,032.03
		120	2,586.18
		150	3,181.82
		185	3,993.82
		240	5,213.99
		300	6,530.44
		400	8,515.46
		YK	FD-0.6/1 KV-CV
4	169.39		
6	225.47		
10	330.46		
16	487.86		
25	754.07		
35	1,022.52		
4 C	50		1,394.22
	70		1,962.88
	95		2,704.55
	120		3,438.60
	150		4,237.60
	185		5,334.70
	240		6,985.59
	300		9,116.62
	400		11,503.09

01 May 2024



THAI YAZAKI ELECTRIC WIRE CO.,LTD.

1.8/3(3.6) KV-CV			1.8/3(3.6) KV-CV		
CORE	( mm <sup>2</sup> )	Baht / Meter	CORE	( mm <sup>2</sup> )	Baht / Meter
1 C	10	177.38	3 C	10	471.24
	16	225.40		16	620.90
	25	294.00		25	829.78
	35	360.36		35	1,036.70
	50	449.12		50	1,337.98
	70	595.00		70	1,775.20
	95	774.20		95	2,336.60
	120	960.40		120	2,905.00
	150	1,156.40		150	3,519.60
	185	1,416.80		185	4,331.60
	240	1,817.20		240	5,558.00
	300	2,237.20		300	6,865.60
	400	2,805.60		400	8,612.80



THAI YAZAKI ELECTRIC WIRE CO.,LTD.

3.6/6(7.2) KV-CV			3.6/6(7.2) KV-CV		
CORE	( mm <sup>2</sup> )	Baht / Meter	CORE	( mm <sup>2</sup> )	Baht / Meter
1 C	10	222.60	3 C	10	697.20
	16	277.20		16	851.20
	25	343.00		25	1,072.40
	35	418.60		35	1,297.80
	50	511.00		50	1,618.40
	70	651.00		70	2,055.20
	95	827.40		95	2,622.20
	120	1,005.20		120	3,186.40
	150	1,212.40		150	3,759.00
	185	1,479.80		185	4,505.20
	240	1,902.60		240	5,765.20
	300	2,340.80		300	7,084.00
400	2,935.80	400	9,052.40		
500	3,714.20				



THAI YAZAKI ELECTRIC WIRE CO.,LTD.

6/10(12) KV-CV			6/10(12) KV-CV		
CORE	( mm <sup>2</sup> )	Baht / Meter	CORE	( mm <sup>2</sup> )	Baht / Meter
1 C	16	344.40	3 C	16	1,066.80
	25	414.40		25	1,300.60
	35	491.40		35	1,542.80
	50	592.20		50	1,867.60
	70	739.20		70	2,346.40
	95	922.60		95	2,942.80
	120	1,104.60		120	3,501.40
	150	1,297.80		150	4,081.00
	185	1,566.60		185	4,963.00
	240	1,999.20		240	6,304.20
	300	2,445.80		300	7,686.00
400	3,061.80	400	9,585.80		

01 May 2024



THAI YAZAKI ELECTRIC WIRE CO.,LTD.

8.7/15(18) KV-CV			8.7/15(18) KV-CV		
CORE	( mm <sup>2</sup> )	Baht / Meter	CORE	( mm <sup>2</sup> )	Baht / Meter
1 C	25	473.20	3 C	25	1,510.60
	35	555.80		35	1,761.20
	50	653.80		50	2,116.80
	70	807.80		70	2,585.80
	95	995.40		95	3,179.40
	120	1,181.60		120	3,913.00
	150	1,367.80		150	4,432.40
	185	1,629.60		185	5,201.00
	240	2,069.20		240	6,508.60
	300	2,515.80		300	8,045.80
400	3,137.40	400	9,800.00		

01 May 2024



THAI YAZAKI ELECTRIC WIRE CO.,LTD.

12/20(24) KV-CV			12/20(24) KV-CV		
CORE	( mm <sup>2</sup> )	Baht / Meter	CORE	( mm <sup>2</sup> )	Baht / Meter
1 C	35	613.20	3 C	35	1,971.20
	50	721.00		50	2,312.80
	70	868.00		70	2,794.40
	95	1,059.80		95	3,463.60
	120	1,254.40		120	4,057.20
	150	1,439.20		150	4,663.40
	185	1,692.60		185	5,513.20
	240	2,121.00		240	7,071.40
	300	2,580.20		300	8,339.80
	400	3,201.80		400	10,113.60

01 May 2024





THAI YAZAKI ELECTRIC WIRE CO.,LTD.

18/30(36) KV-CV			18/30(36) KV-CV		
CORE	( mm <sup>2</sup> )	Baht / Meter	CORE	( mm <sup>2</sup> )	Baht / Meter
1 C	35	842.80	3 C	35	2,773.40
	50	886.20		50	2,935.80
	70	1,044.40		70	3,505.60
	95	1,244.60		95	4,132.80
	120	1,436.40		120	4,774.00
	150	1,643.60		150	5,398.40
	185	1,906.80		185	6,213.20
	240	2,318.40		240	7,802.20
	300	2,734.20		300	9,307.20
	400	3,374.00		400	11,145.40



**THAI YAZAKI ELECTRIC WIRE CO.,LTD.**

<b>CORE</b>	<b><u>SIZE</u></b>	<b><u>Baht / Meter</u></b>
<b>THWA 1</b>	<b>10 C</b>	<b>12.71</b>
	<b>16 C</b>	<b>17.25</b>
	<b>25 C</b>	<b>25.44</b>
	<b>35 C</b>	<b>32.87</b>
	<b>50 D</b>	<b>44.30</b>
	<b>70 D</b>	<b>69.52</b>
	<b>95 D</b>	<b>90.83</b>
	<b>120 D</b>	<b>111.01</b>
	<b>150 D</b>	<b>135.04</b>
	<b>185 D</b>	<b>168.08</b>
	<b>240 D</b>	<b>219.84</b>

01 May 2024